



**RIYANG**<sup>TM</sup>

INSPIRED BY FUSION WELDING

# PRODUCTS OVERVIEW 2023





*All Rights Reserved To Riyang Fusion Manufacturing Limited*

---

# INDEX

---





1. Manual Butt Fusion Machine (Metric) -----	P01
2. Manual Butt Fusion Machine (Inch, IPS) -----	P01
3. Manual Hydraulic Butt Fusion Machine (Metric) -----	P02
4. Manual Hydraulic Butt Fusion Machine (Inch, IPS) -----	P05
5. CNC Hydraulic Butt Fusion Machine (Metric) -----	P07
6. Accessories For Butt Fusion Machines-----	P09
7. Workshop Fitting Fabrication Machine -----	P12
8. Accessories For Workshop Fitting Fabrication Machine-----	P13
9. Workshop Band Saw-----	P15
10. Workshop Saddle Fusion Machine-----	P16
11. Workshop Radius Band Saw -----	P16
12. Plastic Sheet Welding Machine-----	P17
13. Plumbing Series-----	P19
14. Wedge Welder & Testing Tools-----	P22
15. Extrusion Welder & Accessories-----	P24
16. Hot Air Blower & Accessories-----	P26
17. Electrofusion Welding Machine-----	P27
18. Tooling -----	P28

Manual Butt Fusion Machine -----Metric					
S/NO	Model	Photo	Description	Price/EXW	Remark
1	V160M		63-160mm 230V, 50/60Hz	N/A	Insert 50mm is optional
2	V160M PLUS		63-160mm 230V, 50/60Hz	N/A	
Manual Butt Fusion Machine -----Inch, IPS					
1	V6M		2"-6" 110/230V, 50/60Hz	N/A	
2	V6M PLUS		2"-6" 110/230V, 50/60Hz	N/A	

Manual Hydraulic Butt Fusion Machine -----Metric					
S/NO	Model	Photo	Description	Price/EXW	Remark
1	V160BEE		63-160mm 230V, 50/60Hz	N/A	Insert 50mm is optional
2	V160		63-160mm 230V, 50/60Hz	N/A	Insert 50mm is optional
3	V200		63-200mm 230V, 50/60Hz	N/A	
3-1	V200P		63-200mm 230V, 50/60Hz	N/A	Premium model High pressure
4	V250		90-250mm 230V, 50/60Hz	N/A	Insert 75mm is optional
5	V315		90-315mm 230V, 50/60Hz	N/A	
6	V355		90-355mm 230V, 50/60Hz	N/A	

7	V355 SHP		90-355mm 230V, 50/60Hz	N/A	High Pressure
8	V450		280-450mm 380V, 50/60Hz	N/A	Inserts 200mm, 225mm, 250mm are option
9	V500		280-500mm 380V, 50/60Hz	N/A	Inserts 200mm, 225mm, 250mm are optional
10	V630		315-630mm 380V, 50/60Hz	N/A	
11	V630 SHP		315-630mm 380V, 50/60Hz	N/A	High Pressure
12	V800		500-800mm 380V, 50/60Hz	N/A	Inserts 400mm, 450mm are optional
13	V1000		630-1000mm 380V, 50/60Hz	N/A	Lifting crane is optional

14	V1200		630-1200mm 380V, 50/60Hz	N/A	Lifting crane is optional
15	V1600		1200-1600mm 380V, 50/60Hz	N/A	
16	V2000		1400-2000mm 380V, 50/60Hz	N/A	
17	V2500		2000-2500mm 380V, 50/60Hz	N/A	
18	V3000		2000-3000mm 380V, 50/60Hz	N/A	

Manual Hydraulic Butt Fusion Machine -----Inch, IPS					
S/NO	Model	Photo	Description	Price/EXW	Remark
1	V6		2"-6" 110/230V, 50/60Hz	N/A	
2	V8		3"-8" 110/230V, 50/60Hz	N/A	
3	V10		3"-10" 110/230V, 50/60Hz	N/A	
4	V12		3"-12" 110/230V, 50/60Hz	N/A	
5	V12 SHP		3"-12" 110/230V, 50/60Hz	N/A	High pressure
6	V14		3"-14" 110/230V, 50/60Hz	N/A	
7	V18		8"-18" 380, 50/60Hz	N/A	

8	V20		8"-20" 380, 50/60Hz	N/A	
9	V24		12"-24" 380, 50/60Hz	N/A	
10	V24 SHP		12"-24" 380, 50/60Hz	N/A	High Pressure
11	V36		24"-36" 380, 50/60Hz	N/A	Lifting crane is optional
12	V42		24"-42" 380, 50/60Hz	N/A	Lifting crane is optional
13	V48		24"-48" 380, 50/60Hz	N/A	Lifting crane is optional
14	V48 SHP		24"-48" 380, 50/60Hz	N/A	High Pressure, Lifting crane is optional
15	V63		48"-63" 380, 50/60Hz	N/A	



CNC Hydraulic Butt Fusion Machine -----Metric					
S/NO	Model	Photo	Description	Price/EXW	Remark
1	V160CNC		63-160mm 230V, 50/60Hz	N/A	Options available upon request
2	V200CNC		63-200mm 230V, 50/60Hz	N/A	Options available upon request
3	V250CNC		90-250mm 230V, 50/60Hz	N/A	Options available upon request
4	V315CNC		90-315mm 230V, 50/60Hz	N/A	Options available upon request
5	V355CNC		90-355mm 230V, 50/60Hz	N/A	Options available upon request
6	V500CNC		280-500mm 380V, 50/60Hz	N/A	Options available upon request
7	V630CNC		315-630mm 380V, 50/60Hz	N/A	Options available upon request

8	V800CNC		500-800mm 380V, 50/60Hz	N/A	Lifting crane is optional
9	V1000CNC		630-1000mm 380V, 50/60Hz	N/A	Lifting crane is optional
10	V1200CNC		630-1200mm 380V, 50/60Hz	N/A	Lifting crane is optional





CONFIDENTIAL

Accessories For Butt Fusion Machines					
Item Code	Item	Photo	Description	Price/EXW	Remark
70101311	Stub end holder		Suit V160 machines	N/A	
70101312	Stub end holder		Suit V250 machines	N/A	
70101313	Stub end holder		Suit V315 machines	N/A	
70101314	Stub end holder		Suit V355 machines	N/A	
70101314	Stub end holder		Suit V450 machines	N/A	
70101315	Stub end holder		Suit V500 machines	N/A	
70101316	Stub end holder		Suit V630 machines	N/A	
70101317	Stub end holder		Suit V800 machines	N/A	

70101318	Stub end holder		Suit V1000 machines	N/A	
70101319	Stub end holder		Suit V1200 machines	N/A	
70102910	Lifting crane		Suit V500 machines	N/A	
70102911	Lifting crane		Suit V630 machines	N/A	
70102912	Lifting crane		Suit V800 machines	N/A	
70102913	Lifting crane		Suit V1000 machines	N/A	
70102914	Lifting crane		Suit V1200 machines	N/A	
70103801	Data logger (PEWELDBANK)		Suit all V series hydraulic machines	N/A	Install after sale is possible
70103802	Data logger (WELD MASTER WPU20)		Suit all V series hydraulic machines	N/A	Should be pre-installed

70104611	Blade		Suit V160 machines	N/A	
70104612	Blade		Suit V200 machines	N/A	
70104613	Blade		Suit V250 machines	N/A	
70104614	Blade		Suit V315 machines	N/A	
70104615	Blade		Suit V355 machines	N/A	
70104616	Blade		Suit V450 machines	N/A	
70104617	Blade		Suit V500 machines	N/A	
70104618	Blade		Suit V630 machines	N/A	
70104619	Blade		Suit V800 machines	N/A	
70104620	Blade		Suit V1000 machines	N/A	
70104621	Blade		Suit V1200 machines	N/A	

Workshop Fitting Fabrication Machine					
S/NO	Model	Photo	Description	Price/EXW	Remark
1	ATLA315E		90-315mm 380V, 50/60Hz	N/A	 
2	ATLA400		90-400mm 380V, 50/60Hz	N/A	 Hydraulic operated trimmer
3	ATLA400 CNC		90-400mm 380V, 50/60Hz	N/A	 
4	ATLA450		200-450mm 380V, 50/60Hz	N/A	 
5	ATLA500 CNC		200-500mm 380V, 50/60Hz	N/A	 
6	ATLA630 CNC		355-630mm 380V, 50/60Hz	N/A	 
7	ATLA800 CNC		500-800mm 380V, 50/60Hz	N/A	 
8	ATLA1000 CNC		630-1000mm 380V, 50/60Hz	N/A	 

9	ATLA1200 CNC		630-1200mm 380V, 50/60Hz	N/A	
10	ATLA1600 CNC		1000-1600mm 380V, 50/60Hz	N/A	







Accessories For Workshop Fitting Fabrication Machine

Item Code	Item	Photo	Description	Price/EXW	Remark
70205100	Wye clamps and reducers		Suit ATLA315E	N/A	
70205101	Wye clamps and reducers		Suit ATLA400/ATLA400CNC	N/A	90-315mm 
70205102	Wye clamps and reducers		Suit ATLA500CNC	N/A	
70205103	Wye clamps and reducers		Suit ATLA630CNC	N/A	
70205104	Wye clamps and reducers		Suit ATLA800CNC	N/A	
70205105	Wye clamps and reducers		Suit ATLA1000CNC	N/A	
70205106	Wye clamps and reducers		Suit ATLA1200CNC	N/A	







70205107	Wye clamps and reducers		Suit ATLA1600CNC	N/A	
70205211	Stub end holder		Suit ATLA315	N/A	
70205212	Stub end holder		Suit ATLA400/ATLA400CNC	N/A	
70205213	Stub end holder		Suit ATLA630CNC	N/A	
70205214	Stub end holder		Suit ATLA800CNC	N/A	
70205215	Stub end holder		Suit ATLA1000CNC	N/A	
70205216	Stub end holder		Suit ATLA1200CNC	N/A	










Workshop Band Saw					
S/NO	Model	Photo	Description	Price/EXW	Remark
1	TPS400		$\leq 400$ 380V, 50/60Hz	N/A	
2	TPS630		$\leq 630$ 380V, 50/60Hz	N/A	
3	TPS800		$\leq 800$ 380V, 50/60Hz	N/A	
4	TPS1000V		$\leq 1000$ 380V, 50/60Hz	N/A	
5	TPS1200V		$\leq 1200$ 380V, 50/60Hz	N/A	
6	TPS1600V		$\leq 1600$ 380V, 50/60Hz	N/A	

Workshop Saddle Fusion Machine					
S/NO	Model	Photo	Description	Price/EXW	Remark
1	MAX315		Main size: 315mm max. Branch size: 140mm max. 380V, 50/60Hz	N/A	 Without moulds and driller
2	MAX630		Main size: 630mm max. Branch size: 315mm max. 380V, 50/60Hz	N/A	 Without moulds and driller
3	MAX1200		Main size: 1200mm max. Branch size: 560mm max. 380V, 50/60Hz	N/A	 Without moulds and driller
Workshop Radius Band Saw					
S/NO	Model	Photo	Description	Price/EXW	Remark
1	ARC315		Cut branch pipe 140mm max. Work with MAX315 380V, 50/60Hz	N/A	
2	ARC630		Cut branch pipe 315mm max. Work with MAX630 380V, 50/60Hz	N/A	
3	ARC1200		Cut branch pipe 560mm max. Work with MAX1200 380V, 50/60Hz	N/A	

Plastic Sheet Welding Machine					
S/NO	Model	Photo	Description	Price/EXW	Remark
1	S-PH1500		Manual operation Welding length: 1500mm Welding thickness: 3-25mm	N/A	
2	S-PH2000		Manual operation Welding length: 2000mm Welding thickness: 3-25mm	N/A	
3	S-PH1500C		Manual operation Welding length: 1500mm Welding thickness: 3-25mm 90 ° vertical weld thickness: 6-25mm	N/A	
4	S-PH2000C		Manual operation Welding length: 2000mm Welding thickness: 3-25mm 90 ° vertical weld thickness: 6-25mm	N/A	
5	S-PH3000A		Automatic operation Welding length: 3025mm Welding thickness: 3-30mm	N/A	Thickness could up to 60mm
6	S-PH4000A		Automatic operation Welding length: 4025mm Welding thickness: 3-30mm	N/A	Thickness could up to 60mm
7	S-PH6000A		Automatic operation Welding length: 6025mm Welding thickness: 3-30mm	N/A	Thickness could up to 60mm

Plastic Sheet Welding Machine					
S/NO	Model	Photo	Description	Price/EXW	Remark
1	S-ZW3000A		Bending length: 3050mm Welding thickness: 3-25mm Bending angle: 0-95°	N/A	
2	S-ZW4000A		Bending length: 4050mm Welding thickness: 3-25mm Bending angle: 0-95°	N/A	
Plastic Sheet Welding&Bending Machine					
S/NO	Model	Photo	Description	Price/EXW	Remark
1	S-ZP3000A		Bending length: 3025mm Bending thickness: 3-25mm Bending angle: 0-95° Welding length: 3025mm Welding thickness: 3-30mm Minimum diameter of pipe: 500mm	N/A	Welding thickness could up to 60mm
2	S-ZP4000A		Bending length: 4025mm Bending thickness: 3-25mm Bending angle: 0-95° Welding length: 4025mm Welding thickness: 3-30mm Minimum diameter of pipe: 800mm	N/A	Welding thickness could up to 60mm

PLUMBING SERIES (Socket Welder Kit and Accessories)					
S/NO	Model	Photo	Description	Price/EXW	Remark
1	RRQ-32		20-32mm 230V, 50/60Hz	N/A	MOQ: 10units
2	DRRQ-32		20-32mm 230V, 50/60Hz	N/A	MOQ: 10units Digital display
3	DRRQ-32H		20-32mm 230V, 50/60Hz	N/A	MOQ: 10units Digital display on top
4	RRQ-63		20-63mm 230V, 50/60Hz	N/A	MOQ: 10units
5	DRRQ-63		20-63mm 230V, 50/60Hz	N/A	MOQ: 10units Digital display
6	DRRQ-63H		20-63mm 230V, 50/60Hz	N/A	MOQ: 10units Digital display on top
7	RRQ-110		75-110mm 230V, 50/60Hz	N/A	MOQ: 10units
8	DRRQ-110		75-110mm 230V, 50/60Hz	N/A	MOQ: 10units Digital display




9	DRRQ-110H		75-110mm 230V, 50/60Hz	N/A	MOQ: 10units Digital display on top
10	RRQ-160TS		50-160mm 230V, 50/60Hz	N/A	2clamps
11	RRQ-160TD		50-160mm 230V, 50/60Hz	N/A	4clamps
12	FRIMA 125		Multi-function (suspension) 63-125mm 230V, 50/60Hz	N/A	Including heating plate and dies
13	FRIMA 160		Multi-function (suspension) 63-160mm 230V, 50/60Hz	N/A	Including heating plate and dies
14	PIN		Saddle socket 20-160mm	N/A	
15	DRILLER		Hole driller 20-110mm	N/A	



16	REPAIR		Repairing sockets 7mm 9mm 11mm	N/A	
17	RING		Cold ring plier 20-63mm	N/A	
18	SHARPEN		Drill sharpen 20-110mm	N/A	
19	BEVELER		Beveler 25-160mm	N/A	
20	BEVELER		Beveler 40-315mm	N/A	
21	RP-50		Testing pump 0-50bar	N/A	
22	Cutter		Pipe cutter Up to 200mm	N/A	

Wedge Welder & Testing Tools					
S/NO	Model	Photo	Description	Price/EXW	Remark
1	RYG800		Material thickness: 0.2-1.5mm 230V, 50/60Hz	N/A	
2	RYG800D		Material thickness: 0.2-1.5mm 230V, 50/60Hz	N/A	Digital display
3	RYG900		Material thickness: 1-3mm 230V, 50/60Hz	N/A	
4	RYG900D		Material thickness: 1-3mm 230V, 50/60Hz	N/A	Digital display
5	RYG700		Material thickness: 1-3mm 230V, 50/60Hz	N/A	
6	RYG1200		Material thickness: 0.2-2mm 230V, 50/60Hz	N/A	
7	Geomembrane pressure detector			N/A	













8	Vacuum leak testing			N/A	
9	Spark leak detector			N/A	
10	Tensiometer			N/A	

CONFIDENTIAL

Extrusion Welder & Accessories					
S/NO	Model	Photo	Description	Price/EXW	Remark
1	RYH1600A		Welding rod: ϕ 3.0-4.0mm 230V, 50/60Hz	N/A	1600w hot air HITACH motor
2	RYH3400A		Welding rod: ϕ 3.0-4.0mm 230V, 50/60Hz	N/A	3400w hot air HITACH motor
3	RYH1600B		Welding rod: ϕ 3.0-4.0mm 230V, 50/60Hz	N/A	1600w hot air HITACH motor
4	RYH1600C		Welding rod: ϕ 3.0-4.0mm 230V, 50/60Hz	N/A	1600w hot air METABO motor
5	RYH3400C		Welding rod: ϕ 3.0-4.0mm 230V, 50/60Hz	N/A	3400w hot air METABO motor
6	RYH1600D		Welding rod: ϕ 3.0-4.0mm 230V, 50/60Hz	N/A	1600w hot air METABO motor
7	RYH3400E		Welding rod: ϕ 3.0-4.0mm 230V, 50/60Hz	N/A	3400w hot air HIKOKI motor Without display unit

8	RYH3400ET		Welding rod: ϕ 3.0-4.0mm 230V, 50/60Hz	N/A	3400w hot air METABO motor Without display unit
9	RYH1600G		Plastic Granules extruder	N/A	1300w German motor, 1600W hot air gun, 800w Spring heating coil
10	Heating element		220V. 1550W self-produced heating element for 1600A, 1600B, 1600C, 1600D, 1600G	N/A	
11	Heating element		220V. 1550W self-produced heating element for 3400A, 3400C, 3400E/3400ET	N/A	
12	Welding shoe		90-degree	N/A	
13	Welding shoe		Flat angle	N/A	
14	Welding shoe		Unshaped	N/A	
15	Carbon brush		For Metabo Motor	N/A	
16	Carbon brush		For Hitachi Motor	N/A	
17	heating coil spring			N/A	
18	Extrusion screw			N/A	
19	Feed screw			N/A	

Hot Air Blower & Accessories					
S/NO	Model	Photo	Description	Price/EXW	Remark
1	RYA1600S		1600w 230V, 50/60Hz	N/A	Tiny handle
2	RYA1600D		1600w 230V, 50/60Hz	N/A	Digital display
3	RYA1600A		1600w 230V, 50/60Hz	N/A	Typical
4	RYA3400A		3400w 230V, 50/60Hz	N/A	
5	Heating element		1600W	N/A	
6	Mica tube		For 1600w heating element	N/A	
7	Nozzle		5.0mm tubular nozzle	N/A	
8	Nozzle		15mm wide slot nozzle	N/A	
9	Nozzle		20mm wide slot nozzle	N/A	
10	Nozzle		40mm wide slot nozzle	N/A	
11	Nozzle		20 mm 60° angled nozzle	N/A	
12	Nozzle		20 mm 90° angled nozzle	N/A	
13	Nozzle		6.0mm round quick slot nozzle	N/A	
14	Nozzle		5*7 triangle quick slot nozzle	N/A	
15	Nozzle		5*7 triangle quick slot nozzle	N/A	
16	Rollers		28mm silica gel pressure roller	N/A	
17	Rollers		40mm silica gel pressure roller	N/A	
18	Rollers		Telfon roller	N/A	

Eelectrofusion Welding Machine					
S/NO	Model	Photo	Description	Price/EXW	Remark
73128031	FORCEMAX20		20-160mm 2KW, 220V, 50/60Hz 4.7/4.0, 4000 memory	N/A	Included scanner
73128032	FORCEMAX27		20-315mm 2.7KW, 220V, 50/60Hz 4.7/4.0, 4000 memory	N/A	Included scanner
73128033	FORCEMAX35		20-400mm 3.5KW, 220V, 50/60Hz 4.7/4.0, 4000 memory	N/A	Included scanner
73128034	FORCEMAX42		20-630mm 4.2KW, 220V, 50/60Hz 4.7/4.0, 4000 memory	N/A	Included scanner
73128035	FORCEMAX48		20-800mm 4.8KW, 220V, 50/60Hz 4.7/4.0, 4000 memory	N/A	Included scanner
73126036	FORCEMAX30-3K5		20-315mm 3.5KW, 220V, 50/60Hz 4.7/4.0, 500 memory	N/A	Included scanner
73126037	FORCEMAX30-8K		20-500mm 8KW, 380V, 50/60Hz 4.7/4.0, 500 memory	N/A	Included scanner
73126038	FORCEMAX30-12K		20-630mm 12KW, 380V, 50/60Hz 4.7/4.0, 500 memory	N/A	Included scanner


Tools for butt fusion & electrofusion welding					
Item Code	Item	Photo	Description	Price/EXW	Remark
80102121	SCRAPER 001		Hand Scraper	N/A	
80202211	CONDOR 400		Endprep Rotary Scraper 110-400mm OD	N/A	With aluminum box
80202212	CONDOR 800		Endprep Rotary Scraper 450-800mm OD	N/A	With SS box
80302301	GOPHER 400		Uniprep Scraper 110-400mm	N/A	With premium plastic box
80302302	GOPHER 630		Uniprep Scraper 63-630mm	N/A	With premium plastic box
80302311	HAWK 200		Peeler 75-200mm OD	N/A	With aluminum box
80302313	HAWK 400		Peeler 160-400mm OD	N/A	With aluminum box









80302314	HAWK 20		Facer and peeler 20mm OD	N/A	
80302315	HAWK 25		Facer and peeler 25mm OD	N/A	
80302316	HAWK 32		Facer and peeler 32mm OD	N/A	
80302317	HAWK 40		Facer and peeler 40mm OD	N/A	
80302318	HAWK 50		Facer and peeler 50mm OD	N/A	
80302319	HAWK 63		Facer and peeler 63mm OD	N/A	
80302320	PAW 90		Orbital peeler 90mm OD	N/A	Plastic box
80302321	PAW 110		Orbital peeler 110mm OD	N/A	Plastic box











80302322	PAW 160		Orbital peeler 160mm OD	N/A	Plastic box
80302323	PAW 200		Orbital peeler 200mm OD	N/A	
80302324	PAW 250		Orbital peeler 250mm OD	N/A	
80302325	PAW 315		Orbital peeler 315mm OD	N/A	
80402401	BEVELER 160		Beveler 25-160mm OD	N/A	
80402402	BEVELER 315		Beveler 40-315mm OD	N/A	
80502501	BULL 110		Internal debader 90-110mm OD	N/A	
80502502	BULL 140		Internal debader 125-140mm OD	N/A	



80502503	BULL 180		Internal debader 160-180mm OD	N/A	
80502504	BULL 225		Internal debader 200-225mm OD	N/A	
80502505	BULL 280		Internal debader 250-280mm OD	N/A	
80502506	BULL 355		Internal debader 315-355mm OD	N/A	
80502507	BULL 500		Internal debader 400-500mm OD	N/A	
80502508	BULL 630		Internal debader 560-630mm OD	N/A	
80502509	BULL 800		Internal debader 710-800mm OD	N/A	
80602611	ROC 250		Rotary cutter 160-250mm OD	N/A	

80602612	ROC 315		Rotary cutter 250-315mm OD	N/A	
80603614	GC 125		Guillotine cutter 63-125mm OD (2"-4")	N/A	
80603615	GC 225		Guillotine cutter 90-225mm OD (3"-8")	N/A	
80603616	GC 315		Guillotine cutter 125-315mm OD (4"-12")	N/A	
80605618	JC 200		Rotary cutter 160-200mm OD	N/A	
80605619	JC 315		Rotary cutter 160-315mm OD	N/A	
80605620	JC 500		Rotary cutter 160-500mm OD	N/A	
80605621	JC 800		Rotary cutter 160-800mm OD	N/A	

80706101	ALIGNER 63		Alignment 20-63mm OD	N/A	4 clamps
80706102	ALIGNER 90		Alignment 20-90mm OD	N/A	4 clamps
80706103	ALIGNER 160		Alignment 63-160mm OD	N/A	4 clamps
80706104	ALIGNER 160AXE		Alignment 63-160mm OD	N/A	6 clamps (Axe)
80706105	ALIGNER 315		Alignment 125-315mm OD	N/A	4 clamps
80706106	ALIGNER 315AXE		Alignment 125-315mm OD	N/A	6 clamps (Axe)
80706107	ALIGNER 160LION		Alignment 63-160mm OD	N/A	
80706108	ALIGNER 250LION		Alignment 90-250mm OD	N/A	

80706109	ALIGNER 315ECO		Alignment 20-315mm OD	N/A	Axe
80801211	ST125M		Mechanical Squeeze Tool 63-125mm OD	N/A	
80801212	ST225M		Mechanical Squeeze Tool 63-225mm OD	N/A	
80802210	ST63M ECO		Mechanical Squeeze Tool 20-63mm OD	N/A	
80803221	ST160H		Hydraulic Squeeze Tool 63-160mm OD	N/A	With hydraulic pump
80803222	ST225H		Hydraulic Squeeze Tool 90-225mm OD	N/A	With hydraulic pump
80803223	ST315H		Hydraulic Squeeze Tool 160-315mm OD	N/A	With hydraulic pump
80804201	ST160H ECO		Hydraulic Squeeze Tool 63-160mm OD	N/A	With hydraulic jack

80804202	ST200H ECO		Hydraulic Squeeze Tool 63-200mm OD	N/A	With hydraulic jack
80804203	ST250H ECO		Hydraulic Squeeze Tool 110-250mm OD	N/A	With hydraulic jack
80901918	DOLPHIN 355		Roller Support 50-355mm OD	N/A	
80901919	MANBA 630		Roller Support 315-630mm OD	N/A	
80901920	DRAGON 1200		Roller Support 630-1200mm OD	COMING SOON	Hydraulic power

Regards,

Marketing Department,  
Riyang Fusion Manufacturing Limited

**T** +86 (571) 8742 2726

**M** +86 135 8882 0387

**E** info@riyang-welding.com

**W** www.riyang-welding.com